

# Datasheet

21 x OSRAM Duris E5

- To use with 12V/DC. No constant current necessary
- 10x330mm Alu core PCB with 3 SSC 5630 LEDs


# Technical Data

Specifications	Unit	Typ.	Max.
Dimensions (h/w/d)	mm	10/330/2.5	
Forward voltage	V	24	
Current	mA	400	
Storage temperature	°C	-40... 100	
Operating temperature range (at the LED)	°C	-40... 85	

## Color temperature and luminous flux

Part No.	Color Temperature	Flux min.	Flux typ.	CRI	Energy class
LT-2488	2700 K	800 lm	1000 lm	80	A+
LT-2487	4000 K	800 lm	1100 lm	80	A+
LT-2476	5500 K	850 lm	1150 lm	80	A+

## Dimensional drawing






## Safety information

Please note:

- Adequate cooling. This is a high performance LED module.
- Adequate ESD protection
- Appropriate and professional installation

Incorrect use can cause damage to the LED module.

# Energy class



**LED-TECH.DE optoelectronics GmbH**

Thomas-Edison-Str. 1  
47445 Moers

Geschäftsführer: Stefan Lenz

LED Online-Shop: [www.led-tech.de](http://www.led-tech.de)  
Forum/Community: [www.ledstyles.de](http://www.ledstyles.de)

USt.-ID/VAT: DE275755662  
HRB: 10767 Amtsgericht Kleve  
WEEE-Reg.-Nr. DE 23743710

Tel: (+49) 2841 / 97 91 7-0